



CHIAO WEI
MECHANIC CO., LTD.



僑威機械股份有限公司
CHIAO WEI MECHANIC CO., LTD.

台灣台中市龍井區觀光路232巷17號
No.17, Lane. 232, Guanguang Rd., Longjing District, Taichung City 434, Taiwan
■ TEL: 886-4-26302845 (REP) ■ FAX: 886-4-26302846
■ E-mail: chiweicw@ms76.hinet.net
■ <http://www.highspeed-mixer.com.tw>



14345.1000.03.12

CE

僑威機械
CHIAO WEI
MECHANIC CO., LTD.



▶ 專注研發 技術領先

Dedicated to R&D Technological Leadership

承襲僑威公司的一貫信念「研究創新、技術領先」，多年來僑威研發人員不斷致力於開發新技術，以達到更均勻、更快速、更節能省電之新機型，幫助客戶提升生產效率。本公司獨家設計的出料口，出料快速，不留殘料，更榮獲專利。另有其他多項創新設計，締造僑威機械之新典範。

Based on Chiao Wei's policy of "Research and Innovation, Technological Leadership" our R&D staff has been dedicated to the development of new technology. Our objective is to create new models with more uniformity, higher speeds and greater energy saving; thus enabling us to help customers increase their production efficiency. For example, our exclusively designed patented material outlet port permits fast material outfeed without residual. In addition, our other innovative designs allow Chiao Wei machines to establish a new standard in performance.

▶ 僑威機械 享譽國內外

Chiao Wei Machines Recognized Internationally

近年來，僑威公司積極開拓國際市場，除了透過國際上之大展，爭取曝光機會，更努力尋找值得信賴的各國代理商，建立長期的合作伙伴關係。我們深知唯有提供先進性能的機器，才能在國際市場占有一席之地。


Over the years, Chiao Wei aggressively developed their worldwide market. In addition to participating in international exhibitions to present their brand name, Chiao Wei also searched out dependable agents around the world to establish a long term partnership. Chiao Wei fully believes that only offering the most advanced machines will enable them to be competitive in the worldwide market.

▶ 追求卓越 完善服務

Committed to Excellent Service

致力於混合單機，混合系統，押出機與週邊設備的僑威機械股份有限公司，在國內外市場擁有崇高的評價。僑威擁有卓越的研發能力，配合多年來在新技術的努力鑽研，奠定了雄厚的技術背景。無論是單機或整廠設備，僑威機械都將徹底表露高產能，高品質，最低故障率的特性。我們的信念就是為客戶提供最佳性能的機械設備，幫助客戶提升生產上的競爭優勢。

Chiao Wei Mechanic Co., Ltd. has been dedicated to design and manufacturing of high speed mixers, mixing systems, extruders and ancillary equipment. Through years of efforts, Chiao Wei has established a high reputation in both domestic and overseas markets. At Chiao Wei, we have outstanding R&D capabilities. This combined with years of total dedication to new technology enables us to establish an outstanding technical background. Whether a single machine or whole-plant equipment, Chiao Wei machines will fully exhibit high productivity, high quality and minimum trouble features. Our objective is to offer customers the best performance from our equipment that will help customers stay competitive.





1 ► 高速混合機 + 立式冷卻機 (一對二)

Complete Set of High Speed Mixers with Vertical Cooling Blenders (1 To 2)

- 特殊兩部冷卻機設計，可快速縮短混合成品的冷卻時間。
- 特殊導流板設計，混料均勻、快速，分散性佳，且兼具節能省電效果。
- 獨特出料口設計，可依客戶原料種類設定，出料快速，不留殘料(專利)。
- 混料刀具採導削弧型設計，導料力道輕巧，有效節省電力消耗，刀具局部採用特殊硬化處理，使用壽命長。
- 特殊機體設定，具低噪音特性。
- 桶內為不鏽鋼構造，再經拋光處理，提升桶內原料運作效率，並可降低電力消耗。
- 底座鋼板為一體成型，並附有防震墊，運轉順暢、穩定。

2 ► 高速混合機 + 立式冷卻機

Complete Set of High Speed Mixer with Vertical Cooling Blender

- 特殊導流板設計，混料均勻、快速，分散性佳，且兼具節能省電效果。
- 獨特出料口設計，可依客戶原料種類設定，出料快速，不留殘料(專利)。
- 混料刀具採導削弧型設計，導料力道輕巧，有效節省電力消耗，刀具局部採用特殊硬化處理，使用壽命長。
- 特殊機體設定，具低噪音特性。
- 桶內為不鏽鋼構造，再經拋光處理，提升桶內原料運作效率，並可降低電力消耗。
- 底座鋼板為一體成型，並附有防震墊，運轉順暢、穩定。

3.4.5 ► 混合計量系統

Mixing Metering System

- 適合小量添加物的填入，半自動功能設計，可節省人力與時間，降低成本以及提升產能20%。
- 具備儲存原料的功能，且原料輸送時粉塵不易外洩，具環保的一套輸送混合系統。
- 特殊導流板設計，混料均勻、快速，分散性佳，且兼具節能省電效果。
- 獨特出料口設計，可依客戶原料種類設定，出料快速，不留殘料(專利)。
- 桶內為不鏽鋼構造，在經拋光處理，提升桶內原料運作效率，並可降低電力消耗。
- 底座鋼板為一體成型，並附有防震墊，運轉順暢、穩定。


高速混合機 + 立式冷卻機 (一對二)

Hi-Speed Mixer
with Two Vertical Cooling Blender (1 To 2)

用途 Applications:

本組設備專用於塑膠地板、壁板、塑膠地磚、電線電纜、塑鋼門、窗，聖誕樹等，塑膠粉粒體高速混合攪拌。

The complete set is very suitable for the hi-speed blending of plastic powder and pellets for making plastic floor tiles, wall tiles wire, cable, FRP doors & windows and Christmas trees.



規格表

型式 Model	桶容量 Tank Vol.	動力 Power	匹配機種 Compatible Model
CW-100	100L	30-40 HP	配合ELD-200L冷卻機使用 Employed with ELD-200L Cooling Blender
CW-150	150L	40-60 HP	配合ELD-300L冷卻機使用 Employed with ELD-300L Cooling Blender
CW-200	200L	75-100 HP	配合ELD-400L冷卻機使用 Employed with ELD-400L Cooling Blender
CW-300	300L	100-125 HP	配合ELD-600L冷卻機使用 Employed with ELD-600L Cooling Blender
CW-400	400L	125-150 HP	配合ELD-800L冷卻機使用 Employed with ELD-800L Cooling Blender
CW-500	500L	150-175 HP	配合ELD-1000L冷卻機使用 Employed with ELD-1000L Cooling Blender
CW-750	750L	175-200 HP	配合ELD-1500L冷卻機使用 Employed with ELD-1500L Cooling Blender
CW-1000	1000L	250 HP	配合ELD-2000L冷卻機使用 Employed with ELD-2000L Cooling Blender
CW-1200	1200L	300 HP	配合ELD-3000L冷卻機使用 Employed with ELD-3000L Cooling Blender

* 以上尺寸僅供參考

* Above sizes are for reference only.

Spec.

高速混合機 + 臥式冷卻攪拌機 (含計量輸送系統)

Complete Set of Hi-Speed Mixer with Horizontal Cooling Blender (with Metering Delivery System)

用途 Applications:

本組設備專用於塑膠地板、壁板、塑膠地磚、電線電纜、塑鋼門、窗、聖誕樹等，塑膠粉粒體高速混合攪拌。

The complete set is very suitable for the hi-speed blending of plastic powder and pellets for making plastic floor tiles, wall tiles wire, cable, FRP doors & windows and Christmas trees.



規格表

型式 Model	桶容量 Tank Vol.	動力 Power	匹配機種 Compatible Model
CW-100	100L	30-40 HP	配合H-200L冷卻機使用 Employed with H-200L Cooling Blender
CW-150	150L	40-60 HP	配合H-300L冷卻機使用 Employed with H-300L Cooling Blender
CW-200	200L	75-100 HP	配合H-400L冷卻機使用 Employed with H-400L Cooling Blender
CW-300	300L	100-125 HP	配合H-600L冷卻機使用 Employed with H-600L Cooling Blender
CW-400	400L	125-150 HP	配合H-800L冷卻機使用 Employed with H-800L Cooling Blender
CW-500	500L	150-175 HP	配合H-1000L冷卻機使用 Employed with H-1000L Cooling Blender
CW-750	750L	175-200 HP	配合H-1500L冷卻機使用 Employed with H-1500L Cooling Blender
CW-1000	1000L	250 HP	配合H-2000L冷卻機使用 Employed with H-2000L Cooling Blender
CW-1200	1200L	300 HP	配合H-3000L冷卻機使用 Employed with H-3000L Cooling Blender

* 以上尺寸僅供參考

* Above sizes are for reference only.

高速混合機 + 立式冷卻機 (一對二合計量輸送系統)

Complete Set of Hi-Speed Mixer with Vertical Cooling Blender
(I To 2 with Metering Delivery System)

用途 Applications:

本組設備專用於塑膠地板、壁板、塑膠地磚、電線電纜、塑鋼門、窗聖誕樹等，塑膠粉粒體高速混合攪拌。

The complete set is very suitable for the hi-speed blending of plastic powder and pellets for making plastic floor tiles, wall tiles wire, cable, FRP doors & windows and Christmas trees.



規格表

型式 Model	桶容量 Tank Vol.	動力 Power	匹配機種 Compatible Model
CW-100	100L	30-40 HP	配合E-200L冷卻機使用 Employed with E-200L Cooling Blender
CW-150	150L	40-60 HP	配合E-300L冷卻機使用 Employed with E-300L Cooling Blender
CW-200	200L	75-100 HP	配合E-400L冷卻機使用 Employed with E-400L Cooling Blender
CW-300	300L	100-125 HP	配合E-600L冷卻機使用 Employed with E-600L Cooling Blender
CW-400	400L	125-150 HP	配合E-800L冷卻機使用 Employed with E-800L Cooling Blender
CW-500	500L	150-175 HP	配合E-1000L冷卻機使用 Employed with E-1000L Cooling Blender
CW-750	750L	175-200 HP	配合E-1500L冷卻機使用 Employed with E-1500L Cooling Blender
CW-1000	1000L	250 HP	配合E-2000L冷卻機使用 Employed with E-2000L Cooling Blender
CW-1200	1200L	300 HP	配合E-3000L冷卻機使用 Employed with E-3000L Cooling Blender

* 以上尺寸僅供參考

* Above sizes are for reference only.

高速混合機 + 立式冷卻機 (合計量輸送系統)

Complete Set of Hi-Speed Mixer with Vertical Cooling Blender
(with Metering Delivery System)

用途 Applications:

本組設備專用於塑膠地板、壁板、塑膠地磚、電線電纜、塑鋼門、窗、聖誕樹等，塑膠粉粒體高速混合攪拌。

The complete set is very suitable for the hi-speed blending of plastic powder and pellets for making plastic floor tiles, wall tiles wire, cable, FRP doors & windows and Christmas trees.




規格表

型式 Model	桶容量 Tank Vol.	動力 Power	匹配機種 Compatible Model
CW-100	100L	30-40 HP	配合EL-200L冷卻機使用 Employed with EL-200L Cooling Blender
CW-150	150L	40-60 HP	配合EL-300L冷卻機使用 Employed with EL-300L Cooling Blender
CW-200	200L	75-100 HP	配合EL-400L冷卻機使用 Employed with EL-400L Cooling Blender
CW-300	300L	100-125 HP	配合EL-600L冷卻機使用 Employed with EL-600L Cooling Blender
CW-400	400L	125-150 HP	配合EL-800L冷卻機使用 Employed with EL-800L Cooling Blender
CW-500	500L	150-175 HP	配合EL-1000L冷卻機使用 Employed with EL-1000L Cooling Blender
CW-750	750L	175-200 HP	配合EL-1500L冷卻機使用 Employed with EL-1500L Cooling Blender
CW-1000	1000L	250 HP	配合EL-2000L冷卻機使用 Employed with EL-2000L Cooling Blender
CW-1200	1200L	300 HP	配合EL-3000L冷卻機使用 Employed with EL-3000L Cooling Blender

* 以上尺寸僅供參考

* Above sizes are for reference only.

Spec.



CHAO WEI
混合單機系統
Hi-Speed Mixer




3



4



8



7



6

高速混合機系列
Hi-Speed Mixer Series

1 ▶ 實驗室用
Laboratory Application

- 適用於小量原料研發測試專用。
- Designed for R&D and testing of small amounts of material

2 ▶ 標準型
Standard Model

立式冷卻機系列
Vertical Cooling Blender Series

3 ▶ CW-E 型 / Model

4 ▶ CW-ELD 型 / Model

臥式攪拌機系列
Horizontal Blending Machine Series

5 ▶ 臥式攪拌 / 乾燥機 CW-D 型
Horizontal Blending / Drying Machine
CW-D Model

6 ▶ 臥式冷卻攪拌機 CW-H 型
Horizontal Cooling Blender
CW-H Model

特殊系列
Special Series

7 ▶ 真空乾燥
Vacuum Drying

- 真空設備機體均經過100%壓力測試。
- 用途：乾燥原料之中的水份。
- All vacuum drying machines are 100% pressure tested.
- APPLICATION: For drying moisture contained in material

8 ▶ 特殊型(真空設備)
Special Model
(Vacuum Drying Equipment)

高速混合機

Hi-Speed Mixer

用途 Applications:

本組設備專用於塑膠地板、壁板、塑膠地磚、電線電纜、塑鋼門、窗、電池原料、碳粉、聖誕樹等，塑膠粉粒體高速混合攪拌。

(標準型 / Standard Model)



Spec.

規格表

型式 Model	桶容量 Tank Vol.	動力 Power	機器尺寸 Machine Size
CW-100L	100L	30-40 HP	2210 x 700 x 1510 mm
CW-150L	150L	40-60 HP	2240 x 760 x 1790 mm
CW-200L	200L	75-100 HP	2805 x 920 x 2050 mm
CW-300L	300L	100-125 HP	2860 x 960 x 2130 mm
CW-400L	400L	125-150 HP	2910 x 960 x 2190 mm
CW-500L	500L	150-175 HP	2950 x 1100 x 2230 mm
CW-750L	750L	175-200 HP	3450 x 1250 x 2520 mm
CW-1000L	1000L	250 HP	3600 x 1350 x 2700 mm
CW-1200L	1200L	300 HP	3750 x 1450 x 2900 mm

型式 Model	桶容量 Tank Vol.	動力 Power	機器重量 Machine Wt.	機器尺寸 Machine Size
CW-15	15L	7.5-10 HP	300 kg	1555 x 570 x 1090 mm
CW-30	30L	15-20 HP	500 kg	1760 x 630 x 1180 mm
CW-50	50L	20-30 HP	650 kg	1800 x 695 x 1250 mm

* 以上尺寸僅供參考

* Above sizes are for reference only.

立式冷卻機系列 CW-EL 型 / CW-E 型 / CW-ELD 型

Vertical Cooling Blender CW-EL Model / CW-E Model / CW-ELD Model



- 冷卻擋板 -- 可節省冷卻時間 30%
Special Cooling Device.(Optional)--Save Cooling Time 30%

(實驗室用 / Laboratory Application)



(CW-ELD 型 / Model)



(CW-E 型 / Model)



規格表

型式 Model	桶容量 Tank Vol.	動力 Power	機器重量 Machine Wt.	機器尺寸 Machine Size	匹配機種 Compatible Model
CW-EL200	200L	5 HP	800 kg	1950 x 1480 x 1670 mm	配合100L混合機使用 Employed with 100L capacity high speed mixer
CW-EL300	300L	7.5 HP	900 kg	2095 x 1550 x 1775 mm	配合150L混合機使用 Employed with 150L capacity high speed mixer
CW-EL400	400L	10-15 HP	1100 kg	2155 x 1680 x 1875 mm	配合200L混合機使用 Employed with 200L capacity high speed mixer
CW-EL600	600L	15-20 HP	1200 kg	2235 x 1885 x 1935 mm	配合300L混合機使用 Employed with 300L capacity high speed mixer
CW-EL800	800L	20-25 HP	1250 kg	2435 x 2060 x 2010 mm	配合400L混合機使用 Employed with 400L capacity high speed mixer
CW-EL1000	1000L	30-40 HP	1300 kg	2540 x 2140 x 2150 mm	配合500L混合機使用 Employed with 500L capacity high speed mixer
CW-EL1500	1500L	40-50 HP	2900 kg	2850 x 2320 x 2280 mm	配合750L混合機使用 Employed with 750L capacity high speed mixer
CW-EL2000	2000L	50-60 HP	2900 kg	3750 x 1725 x 2530 mm	配合1000L混合機使用 Employed with 1000L capacity high speed mixer
CW-EL3000	3000L	60-75 HP	4500 kg	4100 x 2000 x 2800 mm	配合1200L混合機使用 Employed with 1200L capacity high speed mixer

* 以上尺寸僅供參考

* Above sizes are for reference only.

臥式攪拌 / 乾燥機 CW-D型

Horizontal Blending / Drying Machine
CW-D Model



- 磅料控制系統
Weighing Control System
- 夾袋式半自動磅料設備
(選配品)
Bag Clamping Type Semi-auto Weighing Device (Optional)

臥式冷卻攪拌機 / 螺旋輸送機 (選用配備) CW-H型

Horizontal Cooling Blender / Screw Conveyor
(Optional accessories) CW-H Model



規格表

型式 Model	桶容量 Tank Vol.	攪拌重量 / 次 (依物料比重而定) Blending capacity / time (varies with material weight)	馬力 Motor	電熱 Electronic heater (KW)
CW-D100	200L	60-100 kg	2 HP	6-10 KW
CW-D200	400L	100-200 kg	3 HP	8-12 KW
CW-D300	600L	150-300 kg	5 HP	8-12 KW
CW-D400	800L	200-400 kg	5-7.5 HP	10-22 KW
CW-D600	1200L	400-600 kg	7.5 HP	10-22 KW
CW-D700	1500L	500-700 kg	10-15 HP	10-22 KW
CW-D1000	2000L	700-1000 kg	15-20 HP	24-32 KW
CW-D1200	2400L	800-1200 kg	15-20 HP	24-32 KW
CW-D1500	3000L	1000-1500 kg	20-25 HP	24-32 KW
CW-D2000	4000L	1500-2000 kg	25-30 HP	32-45 KW
CW-D2500	5000L	2000-2500 kg	30 HP	32-45 KW
CW-D3000	6000L	2500-3000 kg	30-40 HP	40-56 KW
CW-D5000	10000L	4500-5000 kg	40-60 HP	55-60 KW
CW-D10000	22000L	9500-10000 kg	60-75 HP	64-72 KW

* 以上尺寸僅供參考

* Above sizes are for reference only.

規格表

型式 Model	桶容量 Tank Vol.	動力 Power	機器重量 Machine Wt.	機器尺寸 Machine Size	匹配機種 Compatible Model
CW-H200	200L	3 HP	800 kg	1200 x 500 x 1400mm	配合100L混合機使用 Employed with 100L capacity high speed mixer
CW-H300	300L	3 HP	900 kg	1300 x 650 x 1500mm	配合150L混合機使用 Employed with 150L capacity high speed mixer
CW-H400	400L	5 HP	1100 kg	1600 x 750 x 1600mm	配合200L混合機使用 Employed with 200L capacity high speed mixer
CW-H600	600L	3 HP	1200 kg	1700 x 850 x 1800mm	配合300L混合機使用 Employed with 300L capacity high speed mixer
CW-H800	800L	7.5 HP	1250 kg	2360 x 920 x 1900mm	配合400L混合機使用 Employed with 400L capacity high speed mixer
CW-H1000	1000L	7.5 HP	1300 kg	2600 x 1060 x 2050mm	配合500L混合機使用 Employed with 500L capacity high speed mixer
CW-H1500	1500L	10 HP	2900 kg	2850 x 1100 x 2150mm	配合750L混合機使用 Employed with 750L capacity high speed mixer
CW-H2000	2000L	15 HP	2900 kg	3200 x 1350 x 2250mm	配合1000L混合機使用 Employed with 1000L capacity high speed mixer
CW-H3000	3000L	15 HP	4500 kg	3700 x 1450 x 2400mm	配合1200L混合機使用 Employed with 1200L capacity high speed mixer

* 以上尺寸僅供參考

* Above sizes are for reference only.

Spec.

真空乾燥 / 真空設備 (特殊型)

Vacuum Drying / Vacuum Drying Equipment (Special Model)



規格表

型式 Model	桶容量 Tank Vol.	動力 Power	機器尺寸 Machine Size
CW-100L	100L	30-40 HP	2210 x 700 x 1510 mm
CW-150L	150L	40-60 HP	2240 x 760 x 1790 mm
CW-200L	200L	75-100 HP	2805 x 920 x 2050 mm
CW-300L	300L	100-125 HP	2860 x 960 x 2130 mm
CW-400L	400L	125-150 HP	2910 x 960 x 2190 mm
CW-500L	500L	150-175 HP	2950 x 1100 x 2230 mm
CW-750L	750L	175-200 HP	3450 x 1250 x 2520 mm
CW-1000L	1000L	250 HP	3600 x 1350 x 2700 mm
CW-1200L	1200L	300 HP	3750 x 1450 x 2900 mm

* 以上尺寸僅供參考

* Above sizes are for reference only.

Spec.

塑膠工業 週邊設備

Ancillary Equipment For Plastic Industry



直立式攪拌機
Vertical Storage Barrel

規格表

型式 Model	動力 Power	桶容量 Tank Vol.	承載重量 Loading weight	機器尺寸 Machine dimensions
CW-B1	3 HP	1000 L	400-500 kgs	980 x 980 x 3020 mm
CW-B2	5 HP	2000 L	750-1000 kgs	1360 x 1360 x 3100 mm
CW-B3	7.5 HP	3000 L	1000-1500 kgs	1500 x 1500 x 3250 mm
CW-B4	10 HP	4000 L	1500-2000 kgs	1800 x 1800 x 3350 mm
CW-B5	15 HP	6000 L	2500-3000 kgs	2000 x 2000 x 4000 mm
CW-B6	20 HP	10000 L	4500-5000 kgs	2500 x 2500 x 6160 mm
CW-B7	30 HP	20000 L	9000-10000 kgs	3030 x 3360 x 6470 mm



盛斗輸送機
Bucket Conveyor

規格表

型式 Model	動力 Power	桶容量 Tank Vol.	攪拌容量 Blending Capacity
CW-U150	3-5 HP	300 L	100-150 kg
CW-U300	5 HP	600 L	200-300 kg
CW-U500	5-7.5 HP	1000 L	400-500 kg
CW-U700	7.5 HP	1400 L	600-700 kg
CW-U1000	10 HP	2000 L	800-1000 kg
CW-U1500	15 HP	3000 L	1300-1500 kg
CW-U2000	20 HP	4000 L	1700-2000 kg



冷卻震動篩選機
Cooling Vibrating Screener

規格表

型式 Model	動力 Power	最大荷重 Max. load	輸送速度 Conveying Speed
CW-K1000	2 HP	1000 kgs	350 mm/min
機器重量 Machine Weight		機器尺寸 Machine Dimensions	
520 kgs		3600 x 700 x 2300 mm	



油壓裁斷機
Hydraulic Cutting Machine

規格表

型式 Model	動力 Power	最大冷卻量 Max. cooling capacity	機器尺寸 Machine Dimensions
CW-V1	1 HP	500 kgs/hr	3645 x 840 x 2500 mm



直立式攪拌機
Vertical Mixer

規格表

型式 Model	動力 Power	處理量 Processing Capacity	機器尺寸 Machine Dimensions
CW-50B	3 HP	50-100 kgs	970 x 680 x 1070 mm
CW-100B	5 HP	150-200 kgs	1070 x 880 x 1250 mm
CW-150B	7.5 HP	200-300 kgs	1140 x 930 x 1450 mm
CW-200B	10 HP	300-400 kgs	1200 x 1040 x 1600 mm

► 磨粉機

Pulverizer / Grinding Machine

· 僑威磨粉機適用於研磨各種PE顆粒、橡膠、植物、穀料、各種塑料包括HDPE,MDPE,LDPE,PVC。而且也可應用於將熱塑性膠磨成回轉成型粉料。

· 本機可研磨新料及回收廢料。

· CHIAO WEI's Pulverizing machines are developed for pulverizing various types of polyethylene granules, rubber, plants, grains, as well as all kinds of plastic material such as HDPE, MDPH, LDPE, PVC and other thermoplastics into rotomoulding powders.

· The machines are capable of grinding both raw material and recycled material from production waste.

規格表

型式 Model	動力 Motor	磨片直徑 Pulverizing Plate Dia.	總動力 Total Power
CW-450	40 HP(30KW)	330Ø	47 HP(35KW)

* 輸出效率視加工材質而定。
*Throughput rate depends on the type of material to be processed.

1 粉料儲料桶
Storage Tank for Powder

2 原料儲料桶
Storage Tank for Raw Material

3 振動機及過濾器
Vibrator & Filter

4 成品儲存桶
Storage Tank for Completed Products

5 磨粉刀盤
Pulverizing Plate

6 冷凍機
Chiller

7 控制箱
Control Cabinet

